



National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).


If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***







National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU ___82

CASE NO. 622 P

TYPE OF ACCIDENT MINIVAN/PEDESTRIAN-RUNNING STRAIGHT

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle #1 was travelling westbound on a 2-way, 2-lane street.

A young child was on the northside of the street and ran straight across southbound into lane 1. Vehicle #1 braked and swerved to the right and clipped the pedestrian with the left front corner. Due to the momentum of the pedestrian the body was angled forward. The pedestrian was knocked to the left and forward and rolled on the pavement to final rest just beyond the center line in lane 2. The pedestrian then got back up and continued to run to the south side of the street.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/ (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	5	female	treated & released	UpperExt	Skeletal	2	Headlight			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	(1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

_	C. VEHICLE PROFILE								
Vehicle	Class		Most Severe Damage Based on Vehicle Inspection						
No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	van	92/Mazda/MPV van	front	minor/smears					

DO NOT SANITIZE THIS FORM



HS Form 431B (1/95)

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indica PSU No. Case Number - Stratum North Rebuna **33)** le, N got up Rom to have 8 0 8 1109 1)) 12) Δ

Scale: 1 centimeter =



HS Form 431B (1/93)

ACCIDENT COLLISION DIAGRAM

U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate PSU No. Case Number-Stratum North F.0 11

Scale: 1 centimeter = 1 meter - (1/100)



U.S. Department of Transportation National Highway Traffic Safety Administration

HS Form 0435F (7/94)

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number Case Number - Stratum 6 PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line relative to physical features Surface Type north arrow placed on diagram documentation of all accident induced physical evidence including (if applicable); Surface Condition grade measurements for all applicable roadways. a) vehicle skid marks Coefficient of Friction b) pedestrian contacts with ground or object scaled representations of the physical plant Grade (v/h) Measurement including: c) vehicle/pedestrian point of impact (POI) a) at impact a) all road/roadway delineation (e.g., d) location of pedestrian separation point crosswalks, curbs/edge lines, lane from vehicle b) between impact markings, medians, pavement markings, and final rest parked vehicles, poles, signs, etc.) f) final resting points (FRP) for pedestrian and vehicle b) all traffic controls (e.g., lights, signs) Pedestrian Travel Direction documentation of the physical plant including: scaled representations of the vehicle and pedestrian at pre-impact, impact, and final Vehicle Travel Direction a) all road/roadway delineation (e.g., rest based upon either: crosswalks, curbs/edge lines, lane markings, medians, pavement markings, Number of Travel Lanes parked vehicles, poles, signs, etc.) a) physical evidence, or b) all traffic controls (e.g., lights, signs) b) reconstructed accident dynamics Reference line: **Distance and Direction** Distance and Direction Item from Reference Point from Reference Line

from Reference Point	Distance and Direction from Reference Line
. •	the second secon
	Secretaria de Secretaria
	a mana a San mayaye 数 a San a san a San
	a care and a second
and the second	ন প্ৰথম কৰিছিল প্ৰথম কৰিছিল কৰিছিল প্ৰথম প্ৰথম কৰিছিল প্ৰথম কৰিছিল প্ৰথম প্ৰথম প্ৰথম প্ৰথম প্ৰথম প্ৰথম প্ৰথম প
ни си Попридок	ಆಗ ಹಾಮ್ಹಟ್ಟು ಸಿಕೆಕಳ 1
The second secon	ested from the second
Resolve (March 2017)	a 1900 to the state of the stat
Section 1997 Section 1997	
54	
	in the second of
	্বাঞ্চ ক্ষুধীয়া প্ৰত্যুক্ত
and the second s	and the second s
	17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18
•	in the state of th
Number of the second of the se	i
-	



National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

622 P

2. Case Number - Stratum

IDENTIFICATION

- 3. Number of General Vehicle Forms Submitted
- 0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

1642

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (/) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ___SS15 Administrative Use

7. <u>✓ SS16 Pedestrian Crash Data Study</u>

8. ___SS17 Impact Fires ___0

9. ___SS18 _______

10. ___SS19 _____0

NUMBER OF EVENTS

 Number of Recorded Events in This Accident

0 1

0

1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A $\underline{\text{forward moving}}$, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0 1</u>	13. <u>0 1</u>	14. \\	15.	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase \geq 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger vari (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

U.S. Department of Transportation National rlighway Traffic Safety

	PEDESTRIAN CRASH DATA STU
1. Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 22 P	kilogram. (999) Unknown
3. Pedestrian Number <u>0</u> <u>1</u>	55 pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	(7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest	(01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
centimeter. (999) Unknown inches X 2.54 =centimeters/ 9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown	(98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):
inches X 2.54 = centimeters	(9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
PEDESTRIAN S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
•	1 / 1 / 1
^	at Initial Impact
15. Pedestrian's First Avoidance Actions	(01) At sides
	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	l los, vianes in positoto
(04) Jumped	One or both arms:
(05) Turned toward vehicle	
(06) Turned away from vehicle	(06) Extended upward
(07) Dave as fall was	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	
(14) Crouched and braced hands against	(11) Holding object (young child, grocery
vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(90) Unit (specify):	(99) Unknown
(99) Unknown	$\setminus \cap \land$
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
TESESTRIAN S ORIENTATION AT IMPACT	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	\bigcirc
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
İ	(12) Shunted to left (corner impacts only)
1	(13) Shunted to right (corner impacts only)
İ	(14) Bumped or pushed aside
1	(15) Snagged, rotated
1	
1	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	\mathcal{P}	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	2
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	46	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization	4
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	Φ	 (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 	J
 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 	φ_	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	+
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 6 that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	(60)
	,	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	7

STOP - VARIABLES 30 THROUGH 37	ARE COMPLETED BY THE ZONE CENTER
- O TIMOGH ST	THE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured	34. 1st Medically Reported Cause of Death
(01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	35. 2nd Medically Reported Cause of Death
initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported	(97) Other result (includes fatal ruled disease) (specify):(99) Unknown
(02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of
33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up	injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORDS NO []	S INCLUDED WITH INITIAL SUBMISSION? YES ()
UPDATE CANDIDATE?	NO [() YES []



Administration

BEST AVAILABLE COPY

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN INJURY FORM





3. Pedestrian Number

INJURY DATA

0 1

2. Case Number - Stratum

National Highway Traffic Safety

4. Blank

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	s. <u>7</u>	7. <u>5</u>	8. <u>Z 2</u>	<u>, 00</u>	10. 2	11. 2	12.706	13	14.	15.2	16. 2	-17.2-
2nd	18. 7	19. Z	20. 9	21. <u>DZ</u>	22.02	23. /	24	26. <u>947</u>	26. /_	27. <u>/</u>	28. 💍	29. <u>O</u>	30. <u>©</u>
3rd	31. <u>3</u>	32. <u>7</u>	33. <u>9</u>	34. 02	35. <u>0 2</u>	36. <u>/</u>	37. <u>/</u>	38. 4 4 7	39. <u> </u>	40.2 /	41	42.	49
4th	44. 7	45. 8	48.	47. 04	18. 07	49/	50	51. 947	62.	63. <u>/</u>	54. <u>(</u>)	55. <u>O</u>	56.
5th	57. <u>Z</u>	58. 7	59. <u>9</u>	60. <u>0 2</u>	02	62/	63. <u>/</u>	B4. 947	65	66./	67	68.	ූ
6th	^{70.} —	71	72	73	′4. <u> </u>	76	76.	77.	78	79	80	81	82
7th	83	84	86.:	86 8	7:	88.	89	90	91.	92	93.::	94	96:
8th	96	97	98	9910	ю	101 1	102	103:	104	106	108	107	108:
9th	109	110:	1113	11211	3	11431	151	116:	117.	118	119.	120	121
10th	122	123	124	126, 12	(6 :	i 27: 1	28. 1	!20	130:	131	1321	33	134
										1			

4		in the state of th			PEDE	IKIA	JUNEAN	JRY#DAT	74	Mr. There is a		4	***************************************
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th													
12th							· .						_
13th							_				Amendadaya.		
14th							-						
15th		_	_				_		_	·			
16th	_	_	<u> </u>			-							_
17th							_			_		· .	
18th			_			<u> </u>	*****			_			
19th		_				***********	_						
20th	_	_	_						_				
21st <u> </u>						- <u> </u>							_
2nd _						<u> </u>		 .		_			
3rd													-
4th _				-	·								
5th _						·							

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE OFFICIAL Certain (0) Injury not from vehicle contact Probable (1) Autopsy records with or without hospital/ (1) No damage/contact (3) Possible Scratch medical records (2) (9) Unknown Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered summarvi Direct contact injury Separated from vehicle (3) Emergency room records only (including Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: Injured, unknown source (4) Private physician, walk-in or emergency (2) Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact (5) Lay coroner report No residual damage Surface only damage Flat-Wide (≥ 15 centimeters) (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (7) Interviewee Sharp edge (8) Other source (specify): Other (specify): Crush depth >6 to 10 centimeters (9) Police Other specify: (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) Face Moderate injury (2) (3) Neck (3) Serious injury (06) Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Skin - Laceration Severe injury (5) Abdomen (BO) Skin - Avulsion (6) Critical injury (6)Spine (10) Amoutation Maximum (untreatable) Upper Extremity 171 (20) Bum Injured, unknown severity (8) Lower Extremity (30) Crush Level of Injury Unspecified (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Aspect Specific injuries are assigned consecutive two-digit numbers beginning with 02. Type of Anatomic Structure (1) Right (2) Laft Whole Area Head - LOC (02) Length of LOC (3) Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 Central (3) Nerves (04, 06, 08) Level of Consciousness (6) Anterior (4) Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to (6) Posterior ligaments) severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (7) Superior (5) Skeletal (includes joints) (8) Inferior Head - LOC (9) Unknown Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B piller 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D piller 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other piller (specify): 793 Right rear wheel /tire 704 Hood omament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of 8 pillar (specify):_ 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment: 778 Backlight glazing . . . Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify):


789 Unknown top component


743 A2 pillar

997 Noncontact injury source

ີ 999 Unknown injury source

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Restrained >

Blood Alcohol Level (mg/dl)

BAL :=

Glasgow Coma Scale Score

Units of Blood Given


Units =


Arterial Blood Gases


Ph = PO₂ :=


PCO, HCO

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)









National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY



2. Case Number - Stratum

6 3 3 b

3. Vehicle Number

0 1

VEHICLE IDENTIFICATION

4. Vehicle Model Year
Code the last two digits of the model year
(99) Unknown

5. Vehicle Make (specify):

41

Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.

(99) Unknown

6. Vehicle Model (specify):



Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown

7. Body Type
Note: Applicable codes may be found on the back of this page.



8. Vehicle Identification Number

JM3LV5223NO

Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros
Unknown—Code all nines

OFFICIAL RECORDS

9. Police Reported Travel Speed



Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160)159.5 kmph and above (999)Unknown

__ __ mph X 1.6093 = ___ __ kmph

10. Speed Limit
(000) No statutory limit
Code posted or statutory speed limit
in kmph
(999) Unknown

25 mph X 1.6093 = kmph

11. Police Reported Alcohol Presence For Driver



(1) Yes alcohol present

(7) Not reported

(8) No driver present

(9) Unknown

12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx)

(95) Test refused

(96) None given

(97) AC (Alcohol Content) test performed, results unknown

(98) No driver present

(99) Unknown

Source:

13. Police Reported Other Drug Presence For Driver

(0) No other drug(s) present

(1) Yes other drug(s) present

(7) Not reported

(8) No driver present

(9) Unknown

14. Other Drug Specimen Test Result For Driver

(0) No specimen test given

(1) Drug not found in specimen

(2) Drug found in specimen (specify):

(3) Specimen test given, results unknown or not obtained

(8) No driver present

(9) Unknown







CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
 - (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
 - (23) Van based motorhome (≤ 4,500 kgs GVWR)
 - (24) Van based school bus (≤ 4,500 kgs GVWR)
 - (25) Van based other bus (≤ 4,500 kgs GVWR)
 - (28) Other van type (Hi-Cube Van, Kary) (specify):
 - (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (81) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (85) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- 81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms or more (999) Unknown 3	· VEHIOLE MARKET	20110121 7 0111010 1 01111	rage
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms or more (999) Unknown 3	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA	
Source: 3	Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	18. Impact Speed	9
OTHER DATA 21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by outside person, object, or event (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (1) Fire truck or car (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (1) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):	Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown	(999)Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation	2
OTHER DATA 21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by outside person, object, or event (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (1) Going straight (22) Vehicle used as school bus (33) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (1) Going straight (1) Stopped in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (106) Disabled or parked in travel lane (107) Leaving a parking position (108) Entering a parking position (109) Turning light (110) Turning light (121) Making a U-turn (122) Backing up (other than for parking position (133) Negotiating a curve (144) Changing lanes (155) Merging (165) Successful avoidance maneuver to a previous critical event (197) Other (specify):	kgs		
OTHER DATA (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by onving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (8) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (91) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):		21. Driver's Attention to Driving	1
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):	17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify):	(1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position	- -
(98) No driver present (99) Unknown		(09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):	1)

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(Specify):
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	
(16) Turning right at intersection	(O2) Braking (no lockup)
(17) Crossing over (passing through) intersection	(O3) Braking (lockup)
(19) Unknown travel direction	(04) Braking (lockup unknown)
Other Motor Vehicle In Lane	(05) Releasing brakes
(50) Stopped	(06) Steering left
(51) Traveling in same direction with lower speed	(07) Steering right
(i.e., lower steady speed or decelerating)	(08) Braking and steering left
(52) Traveling in same direction with higher speed	(09) Braking and steering right
(53) Traveling in opposite direction	(10) Accelerating
(54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right
(59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	25 Proceeds Contains
(60) From adjacent lane (same direction)—over left	25. Precrash Stability After Avoidance Maneuver
lane line	(0) No driver present (1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action)
(71) From driveway, across path	(0) No driver present
(72) From driveway, turning into opposite direction	(1) No avoidance maneuver
(73) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(74) From entrance to limited access highway	maneuver was initiated
(78) Encroachment by other vehicle—details	(3) Vehicle stayed on roadway but left travel lane
unknown	where avoidance maneuver was initiated
	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist (80) Pedestrian in roadway	travel lane where avoidance maneuver was initiated
(81) Pedestrian approaching roadway	
(82) Pedestrian supproaching roadway	(5) Vehicle departed roadway (6) Avoidance manerives initiated at a set of the set of th

(9) Directional consequences unknown

_ •	ENVIRO	NME	IENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	Ø.	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
20	(6) Unknown type of non-interchange (9) Unknown if interchange	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four	9	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
30.	(5) Five(6) Six(7) Seven or more(9) Unknown Roadway Alignment	\	35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	(1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	+	(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain
(Roadway Surface Type 1) Concrete 2) Bituminous (asphalt) 3) Brick or Block 4) Slag, gravel or stone 5) Dirt 8) Other (specify):		(3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):
(9) Unknown		



National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY



2. Case Number - Stratum

3. Vehicle Number

VEHICLE IDENTIFICATION

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

cm

cm

cm

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front ax(es) from the ground:

	(II A)
National Accident Sampling System-Crashworthiness VIN TM3 LV 5 2 2 3 1 Vehicle Make (specify):	Data System: Pedestrian Exterior Vehicle Form Model Year Vehicle Model (specify):
Hood Widths Rear Opening 157 Midway 157 Forward Opening 148	Hood Material Front Bumper Cover Material Front Bumper Reinforcement Material Hood Length Bumper Lead
Wear Hood Hood Hood Hood Hood AN AN AN AN AN AN AN AN AN AN AN AN AN	VERTICAL VON ON
NOTES: Sketch all pedestrien contacts, include the size and depth in con- (lessrell and the front order flangitudinal) in communer. Annual tive book disestance contacts, sent on addresses, cont. Location of the origin limitemapt point of the contactor and the free	interest. Locate the pedestrian centasts from the intercept point of the centarline with which might be uponly in reconstructing the confidence (e.g., grass in $\frac{1}{1}$ or $\frac{1}{1}$ or $\frac{1}{1}$

WRAPPED and




No Head was noted

PEDESTRIAN SIDE CONTACT WORK S	FIEE I
PEV06 \Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
	·
LATERAL MEASUREMENTS	
PEV35 C _L to A-Pillar at Bottom of Windshield	
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum/Side View Mirror Protrusion	cm
	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm
Gradia to riday Contact	cm

ORIGINAL SPECIFICATIONS

Wheelbase	7700	inches	x	2.54	=	279 cm
Overall Length	7558	inches	X	2.54	=	五年平 cm
Maximum Width 92	· _	inches	X	2.54	=	cm
Curb Weight	3,558	pounds	X	. 4536	=	\perp , $6\overline{5}\overline{9}$ kg
Average Track (420)	7100	inches	X	2.54	=	cm
Front Overhang		inches	x	2.54	=	cm
Rear Overhang		inches	X	2.54	=	cm
Undeformed End Width		inches	x	2.54	=	cm
Engine Size: cyl./displ.		СС	x	.001	=	3.0 LVA
		CID	x	.0164	=	

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front exists) from the ground:

1	POINTS OF PEDESTRIAN CONTACT													
LIST CONTACTS IN CHRONOLOGICAL ORDER														
		COMPONENT	MERRIP	EO.	AWI	Measu	W/							
.	CONTACT	CONTACTED	LOCATION	LOCA		CRUSH				;	CONFID	ENCE	LEVE	1 OF
		CODE	00	1		CENTIMETERS	SUSPECTED	\$1	PPORTM	IG PHYSICAL EVIDENCE	COM	TACT	POM	Π
1	DICTO	700	101	- 11	9/	17	BOOY REGION					(Circl	¥	
		700	· · · ·	-4	\perp	sulp)	Jen	S^	ull	Strack	110	2	3	9
(-)			101	\ <u>\</u>	3 (Smeat	Lou	<u> </u>	eas	y Smean		7	3	8
IF		700	101	-3	7	<u> </u>	KNde	e	17	0. 2	Q	2	3	8
		700	91	<u> </u>	6	Smilia	DUL	C	LAN	Palmen	130	2	3	9
	SE	700	91		of	Smear	े गिक	. 0		atric work		2	3	9
ND C	(B)	206	بل. 0	-4	(8	5 means)	DOLON		near		12		3	9
MY.	T(N)	706	20	-(3	(2	11112	, , ,	_		$+$ \times $-$			
	•				,		Lauran .		md	Fatur			3	.8
	9									·			3	9
	10										1 2	<u> </u>	3	8
"										*	1 2	<u> </u>	3	9
					CODE	FOR COMPON	ENTS CONTACTED)						
FRON	ſ			745	40 =	.					•			
	•			743 744					els / tir					
700		r = ·	,	745						oft front wheel/tire				
701		er valance/spoiler		748				-		ft rear wheelytire				
702 703		and/or trim		748		pillar (specify):		. 7	793 Right rear wheel/tire					
704		nent (fixed)		749		side roof rail			98 Ot	her wheel/tire (specify):	_		
705		nent (spring loaded)		750 751		side door surface		7	799 Unknown wheelitire					
708				751 752			urain a	llad.						
707	Retractable	headlight door (Oper	n/Closed)	752 Right side mirror fixed housing 753 Right side folding mirror					Undercarriage components					
708	Turn signal	/parking lights		754 Right side glazing forward of B piller					800 Front crossmember 801 Steering assembly/Front suspension					
718		or add on object		755 Right side glazing rearward of B piller					802 Oil pan					
719	(specify): Unknown fi	rant abiant		758 Rear entenne						haust system pipe				
,	CIRCIO WII 1	ont object		757 Rear fender or quarter panel 758 Other right side shiest (energy)					804 Transmission					
Left Si	de Component	<u>.</u>		758 Other right side object (specify):					805 Drive shaft 806 Catalytic converter					
		_			0		on and	80	_	talytic converter offier				
720	_	r side surface		Back C	mponen	ts		80		or pan				
721		Na .		_				80		ol tank				
722 723	A1 pillar A2 pillar			760		eck) bumper		81	O Res	ar suspension				
724	B pillar			761 782				81	8 Oth	er undercarriage comp	onent			
725	C piller			762 768		ack, vertical surfac back component (sp			(spe	ecify):				
726	D piller			789	Unkner	enck component (sp en back component		. 81	y Unk	known undercarriage c	omponent			
728	Other piller					· • • • • • • • • • • • • • • • •		Acces	sories					•
728	Left side roo			Top Con	nponents			82		scoop, deflector				
730 731	Left side do Door handle							82		ular or CB radio anter	ina			
731		rror fixed housing		770	Hood s			82	2 Eme	orgency lights or bar	-			
733	Left side fol			771 772	Hood s	urface reinforced by ender top surface	underhood compone			lights				
734	Left side gla	zing forward of B pil	llar	773	Cowl a			824		gage, ski, or bike reck		:		
735	Left side gla	zing rearward of B p	iller	774		lade & mountings		82: 82:	325 Cargo (spacify):					
738		ck fender or quarter	panel	775	Windsh	ield glazing			827 Spetlight					
737 738	Rear entenn			776	Front h			821		or accessory (specify):				
738 739	Unknown lef	de object (specify): _ t side compenent		777 770	Reef su									
				778 779	Backligi Rear he	ht glazing				<u>or Vehicle in Environm</u>				
Right Sie	de Component	•		780	Hatchba			846	Othe	r object in environmen	it			
•		_		781	Reer tre			0,40	(specify):					
740	Front fender			788	Other to	p compenent (spec	ify):		849 Unknown object in environment 959 Unknown object on contacting vehicle					
741 742	Front antenni A1 pillar	•		789	Unknew	n top component	•	997	Nonc	contact injury source	y venters			
176	er hwel							999		newn injury source				

VEHICLE DIMENSIONS	Page
4. Original Wheelbase Code to the nearest centimeter (999) Unknown 100.000 inches X 2.54 = centimeters	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown John Street X 2.54 = Centimeters 6. Hood Material	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width MidwayCode to the	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown

_____ . ___ inches X 2.54 = ___ __ centimeters

____ . __ inches X 2.54 = ___ centimeters

		202	, verille	rorm Pag
29.	Centerline of Wheel		Side Lateral Measurer	Tienta
	Code to the			?
	nearest centimeter			
	(000) No side contact		35. Centerline to A-Pillar	
	(150) 150 centimeters or more		at Bottom of Windshield	
1	(999) Unknown		(000) No side contact	
l			Code to the	
İ	inches X 2.54 =		nearest centimeter	
		centimeters	(250) 250 centimeters or more	
		O • •	(999) Unknown	
30	Top of Time		(999) Onknown	
30.	Top of Tire			
	Code to the		inches X 2.54 =	centimeters
	nearest centimeter			
	(000) No side contact		1	1 1019
	(200) 200 centimeters or more		36. Centerline to A-Pillar	
	(999) Unknown		at Top of Windshield	
			Code to the	
	1. I. M			
	inches X 2.54 =	centimeters	nearest centimeter	
			(000) No side contact	
		000	(250) 250 centimeters or more	
31.	Top of Wheel Well Opening		(999) Unknown	
	Code to the	———— —		
'.	nearest centimeter		inches X 2.54 =	-
	(000) No side contact			centimeter
	(250) 250 centimeters or more		j	$\Omega \rightarrow \infty$
	(999) Unknown	,	37 Contading to Maria	I I I I I I I
'	(999) UNKNOWA		37. Centerline to Maximum Side	
			View Mirror Protrusion	
-	· inches X 2.54 =	centimeters	Code to the	
		M	nearest centimeter	
	Bottom of A-Pillar at Windshield		(000) No side contact	
_	Code to the		(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
(000) No side contact			
(250) 250 centimeters or more		inches X 2.54 =	000000000
(999) Unknown			centimeter
·				***************************************
	inches X 2.54 =		Side Wrap Distance Measur	rements
_		centimeters		
		(1-)		299
32 T	on of A Bill-s late	(O(O(1))	38. Ground to Side/Top Transition	
JJ. 1	op of A-Pillar at Windshield		Code to the	$\underline{\underline{}}$
_	Code to the			
	nearest centimeter		nearest centimeter	
((000) No side contact		(000) No side contact	
(;	300) 300 centimeters or more		(400) 400 centimeters or more	
(9	999) Unknown		(999) Unknown	
	inches X 2.54 =		inches X 2.54 =	centimeters
_		centimeters		
		\sim \sim \sim		000
24 T.	on of Cida Minus AA	11019	39. Ground to Hood Edge	
	op of Side View Mirror	<u>U</u>		<u> </u>
_	Code to the		Code to the	·
	nearest centimeter		nearest centimeter	
(C	000) No side contact		(000) No side contact	
(3	00) 300 centimeters or more		(500) 500 centimeters or more	
	99) Unknown		(999) Unknown	
	-			
	inches Y 2 54 -		inches X 2.54 =	centimetere
-	inches X 2.54 =	_ centimeters		
	·			
	•	ł		

				1	. Oddodian Exterio	venicie Form	Page
40.	Code to 1	erline of Hood (Ori					v
	(000) No side of (700) 700 cent (999) Unknown	imeters or more					
	inc	hes X 2.54 =	centimeters <				
41.	Ground to Head Code to t	:he	000				
	nearest c (000) No side c (800) 800 centi (999) Unknown	ontact imeters or more	İ				
		nes X 2.54 =	centimeters				
	٠						
						·	
						•	
					•		
							·
						·	
	•						
			1				;
	•						
•							



U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN INTERVIEW FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

and the second second second second

1. Primary Sampling Unit Number 1. Interviewee(s) Role or Name(s):
2. Case Number - Stratum 622 P
3. Pedestrian Number <u>0</u> <u>1</u>
Review all available information and interview questions prior to conducting interview(s) to ensure the acquisition of all pertinent data.
If the pedestrian was not the person interviewed, was an appointment made for a follow-up interview?
PEDESTRIAN'S DESCRIPTION OF ACCIDENT EVENTS
on 195 1640 - Jels letter info w/ Relating to give to
mother
State with 8 2 saw her out of the
comes of my eye and her was holding
for and 5 (w) withhere to Run across the storal
got got away to une him and Ram ont and
of appeared the new just knowled of tothe left
and went she hat the ground, may have
Show with her Right aim onto But often
moved to can went by my view and Then
offer of foseer & saw her in other lane
agnost half way in middle and picked has
up, her head wood formed the west.
WITNESS DESCRIPTION OF ACCIDENT EVENTS
1000 m our commed her statement
for bed She was knocked down to
lett and rolled and then got back
about ran to other side of street

HS Form 0435L (7/94)

Information collected in this report is used to complete HS Forms 435H and 435I. These reports are authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

ACCIDENT DIAGRAM



INDICATE NORTH

The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.

A Kinopart 30

PSU NUMBER CASE NUMBER YEAR

82	
622P	_
1995	_

PEDESTRIAN INTERVIEW FORM


THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [] ENTIRE FORM
- PAGE NUMBER (S) ______2

National Accident Sampling System-Crashw	orthiness Dat	a System: Pedestrian Interview Form	Page 4
1. Primary Sampling Unit Number	29	3. Pedestrian Number	0 1
2. Case Number - Stratum 6	<u> 32 p</u>		1
PEDESTRIAN CRASH DATA QUE	STIONS	PEDESTRIAN CHARACTERISTIC	S
11. When struck by the vehicle, was your chell acting away Left side to vehicle Right side to vehicle Other (specify):	you say:	Height Weight Age Sex! Male Female 17. What kind of shoes were you wearing? 18. Could you tell me your following meas without shoes? Ground to center of knee cap Ground to top of hip bone Ground to top of shoulder So to Pedestrian Injury Data quest	surements
			ł

PSU Number





BEST AVAILABLE COPY

(9)

National Highway Traffic Safety Administration

DRIVER INTERVIEW FORM

NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

HS Form 0435M (7/94)


Information collected in this report is used to complete HS Forms 435H and 435I. These reports are authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

ACCIDENT DIAGRAM



The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.

INDICATE NORTH



National Accident Sampling System-Crashworthiness Data System: Pedestrian Driver Interview Form Page 3					
_ 3. Vehicle Number	0 1				
4. Occupant Number	0 1				
VEHICLE/PEDESTRIAN RELATED D	АТА				
Standing [] Crouching [] Kneeling [] Bending at waist [] Other, specify:	drward				
20. Just before impact, was the pedestrian: Crossing road, straight Crossing road, diagonally Moving in road, with traffic Moving in road, against traffic Moving in road, against traffic Off road, approaching road Off road, going away from road Off road, moving parallel Off road, crossing driveway Off road, moving along driveway Other (specify):	D poed				
21. Where was the pedestrian at impact: [] In intersection, in a crosswalk [] In intersectiond, not in a crosswalk [] Not at intersection, in a crosswalk Not at intersection, not in a crosswalk [] Off road [] Other (specify):	·				
22. Before trying to avoid being struck by the veh was the pedestrian's chest: [] Facing vehicle [] Facing away ' Left side to vehicle [] Right side to vehicle [] Other (specify):	icle,				
	4. Occupant Number VEHICLE/PEDESTRIAN RELATED D 18. Just prior to the impact, was the pedestrian: Standing [] Crouching [] Bending at waist [] Other, specify:				

The second secon

National Accident Sampling System-Cras	hworthiness Dat	a System: Pedestrian Driver Interview Form	Page 4
1. Primary Sampling Unit Number	29	3. Vehicle Number	0_1
2. Case Number - Stratum	<u>e g g ♭</u>	4. Occupant Number	0 1
VEHICLE/DRIVER PEDES	STRIAN RELAT	TED DATA QUESTIONS (CONTINUED)	
23. Did the pedestrian do anything to avoid [hicle destrian's chest: acing pact?	29. Where were the pedestrian's legs at impact? Were they: Together Apart, laterally Apart, left leg forward Apart, right leg forward Apart, forward leg unknown Left foot off the ground Right foot off the ground Both feet off the ground Other (specify): 30 What happened to the pedestrian after being vehicle? Were there any other pedestrians contacted vehicle? Yes- How many?—continue collecting information (quest through 34 above) for each additional p contacted. No- End Driver Interview	by your



82622F00000011 958.05000000000116420100001 95 95 96 9500000000 958.051000000000113F72000 82622P00010012 82622P00010021 8.05 000000000521223506510002513013001301030909600241009715 1010000000005 82622P00010131 8.05 00000000037522002270611222 82622P00010231 8.05 00000000077902021194711000 82622P00010331 8.05 00000000037902021194711000 82622P00010431 8.05 00000000078904021194711000 82622P00010531 8.05 00000000037902021194711000 82622P01000041 8.05 00000000924144120JM3LV5223N0 99904009600166000003 92110180092241211110011 8.05 000000002791763107714815015100340470660830708609217017

82622P01000051

00000000000000

PSU82 CASE 622P

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

796

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	O	O	0	Y
Pedestrian Assessment	0	O	0	Y
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehicl	e 0	0	0	Υ
Pedestrian Exterior Vehic	le O	0	0	Υ
Total Inter Errors		0	o	
Total Case Errors	0	o	o	